During SLU tenure (note: \* denotes corresponding author, † denotes undergraduate research assistant, ‡ denotes graduate research assistant)

- 1. M.L. Kovarik, <sup>†</sup> N.J. Torrence, <sup>‡</sup> D.M. Spence, and R.S. Martin, <sup>\*</sup> "Fabrication of Carbon Microelectrodes with a Micromolding Technique and Their Use in Microchip-based Flow Analyses," *Analyst*, **2004**, *129*, 400-405.
- 2. M.K. Hulvey<sup>‡</sup> and R.S. Martin,<sup>\*</sup> "Microchip-Based Analysis Systems: An Undergraduate Laboratory Experiment," *Chem. Educator*, **2004**, *9*, 1-7.
- N.A. Lacher, S.M. Lunte,\* and R.S. Martin,\* "Development of a Microfabricated Palladium Decoupler/Electrochemical Detector for Microchip Capillary Electrophoresis Using a Hybrid Glass/Poly(dimethylsiloxane) Device" Anal. Chem., 2004, 74, 1136-1143. (note: co-corresponding authors)
- 4. A.K. Price, \*D.J. Fischer, R.S. Martin, and D.M. Spence, \*Deformation-Induced Release of ATP from Erythrocytes in a Poly(dimethylsiloxane)-Based Microchip with Channels That Mimic Resistance Vessels, \*Anal. Chem., 2004, 76, 4849-4855.
- 5. D.M. Spence,\* N.J. Torrence,\* M.L. Kovarik,\* and R.S. Martin, "Amperometric Determination of Nitric Oxide Derived from Pulmonary Artery Endothelial Cells Immobilized in a Microchip Channel," *Analyst*, **2004**, *129*, 995-1000.
- 6. B.H. Huynh, B.A. Fogarty, R.S. Martin, and S.M. Lunte,\* "On-Line Coupling of Microdialysis Sampling with Microchip-Based Capillary Electrophoresis," *Anal. Chem.*, **2004**, *76*, 6440-6447.
- 7. M.L. Kovarik, M.W. Li, and R.S. Martin, "Integration of a Carbon Microelectrode with a Microfabricated Palladium Decoupler for use in Microchip Capillary Electrophoresis/Electrochemistry," *Electrophoresis*, **2005**, 26, 202-210.
- 8. B.A. Fogarty, K.E. Heppert, T.J. Cory, K.R. Hulbutta, R.S. Martin and S.M. Lunte,\* "Rapid Fabrication of Poly(dimethylsiloxane)-based Microchip Capillary Electrophoresis Devices using CO<sub>2</sub> Laser Ablation, *Analyst*, **2005**, *130*, 924-930.
- 9. C.M. Moore, \* S.D. Minteer, \* and R.S. Martin, "Microchip-based Ethanol/Oxygen Biofuel Cell," *Lab Chip*, **2005**, *5*, 218-225
- 10. M.W. Li,<sup>‡</sup> D.M. Spence, and R.S. Martin,<sup>\*</sup> "A Microchip-Based System for Immobilizing PC 12 Cells and Amperometrically Detecting Catecholamines Released After Stimulation with Calcium," *Electroanalysis*, **2005**, *17*, 1171-1180.
- 11. A.K. Price,<sup>‡</sup> R.S. Martin, and D.M. Spence,<sup>\*</sup> "Monitoring Erythrocytes in a Microchip Channel that Narrows Uniformly: Towards an Improved

- Microfluidic-based Mimic of the Microcirculation," *J. Chrom. A*, **2006**, *1111*, 220-227.
- 12. C.D. Kuhnline, M.G. Gangel, M.K. Hulvey, and R.S. Martin, "Detecting Thiols in a Microchip Device using Micromolded Carbon Ink Electrodes Modified with Cobalt Phthalocyanine," *Analyst*, **2006**, *131*, 202-207.
- 13. M.W. Li,<sup>‡</sup> B.H. Huynh, M.K. Hulvey,<sup>‡</sup> S.M. Lunte and R.S. Martin,<sup>\*</sup> "Design and Characterization of Poly(dimethylsiloxane)-Based Valves for Interfacing Continuous-Flow Sampling to Microchip Electrophoresis," *Anal. Chem.*, **2006**, 78, 1042-1051.
- 14. M.J. Moehlenbrock, <sup>‡</sup> A.K. Price, <sup>‡</sup> and R.S. Martin, \* "Use of Microchip-Based Hydrodynamic Focusing to Measure the Deformation-Induced Release of ATP from Erythrocytes," *Analyst*, **2006**, *131*, 930-937.
- 15.L.C. Mecker<sup>‡</sup> and R.S. Martin,\* "Use of Micromolded Carbon Dual Electrodes with a Palladium Decoupler for Amperometric Detection in Microchip Electrophoresis," *Electrophoresis*, **2006**, *27*, 5032-5042
- 16. R.S. Martin, P.D. Root, and D.M. Spence,\* "Microfluidic Technologies as Platforms for Performing Quantitative Cellular Analyses in an In Vitro Environment," *Analyst*, **2006**, *131*, 1197–1206.
- 17. M.W. Li<sup>‡</sup> and R. S. Martin,\* "Integration of Continuous Flow Sampling to Microchip Electrophoresis using Poly(dimethylsiloxane)-based Valves in a Reversibly Sealed Device," *Electrophoresis*, **2007**, *28*, 2478–2488.
- 18. L.C. Mecker<sup>‡</sup> and R.S. Martin,\* "Coupling Microdialysis Sampling to Microchip Electrophoresis in a Reversibly Sealed Device," *JALA*, **2007**, *12*, 296-302.
- 19. M.J. Moehlenbrock,<sup>‡</sup> and R.S. Martin,\* "Development of an On-Chip Injector for Microchip-based Flow Analyses using Laminar Flow," *Lab Chip*, **2007**, 7, 1589-1596.
- 20. L.I. Genes, N. Villiere, M.K. Hulvey, R. S. Martin, and D.M. Spence, MAddressing a Vascular Endothelium Array with Blood Components using Underlying Microfluidic Channels, Lab Chip, 2007, 7, 1256-1259.
- 21. M.K. Hulvey, <sup>‡</sup> L. Genes, D.M. Spence, and R.S. Martin, \* "Fabrication and Evaluation of a 3-Dimensional Microchip Device where Carbon Microelectrodes Individually Address Channels in the Separate Fluidic Layers," *Analyst*, **2007**, *132*, 1246-1253.
- 22. J.F. Kauffman,\* S.J. Gilliam, and R.S. Martin, "Chemical Imaging of Pharmaceutical Materials: Fabrication of Micropatterned Resolution Targets," *Anal. Chem.*, **2008**, *80*, 5706-5712.
- 23. M.W. Li<sup>‡</sup> and R.S. Martin,\* "Microchip-based Integration of Cell Immobilization, Electrophoresis, Post-Column Derivatization, and

- Fluorescence Detection for Monitoring the Release of Dopamine from PC 12 Cells," *Analyst*, **2008**, *133*, 1358-1366.
- 24. L.C. Mecker<sup>‡</sup> and R.S. Martin,\* "Integration of Microdialysis Sampling and Microchip Electrophoresis with Electrochemical Detection," *Anal. Chem*, **2008**, *80*, 9257–9264.
- 25. M.K. Hulvey<sup>‡</sup> and R. S. Martin,\* "A Microchip-based Endothelium Mimic Utilizing Open Reservoirs for Cell Immobilization and Integrated Carbon Ink Microelectrodes for Detection," *Anal. Bioanal. Chem.*, **2009**, 393, 599-605.
- 26. N.G. Batz<sup>‡</sup> and R.S. Martin,\* "Selective Detection of Endogenous Thiols Using Microchip-based Flow Analysis and Mercury/Gold Amalgam Microelectrodes," *Analyst*, **2009**, *34*, 372 379
- 27.I.Z Kiss,\* N. Munjal,<sup>†</sup> R.S. Martin, "Synchronized Current Oscillations of Formic Acid Electro-oxidation in a Microchip-based Dual-Electrode Flow Cell," *Electrochimica Acta*, **2009**, *55*, 395-403
- 28. A.L. Bowen<sup>‡</sup> and R.S. Martin,\* "Integration of serpentine channels for microchip electrophoresis with a palladium decoupler and electrochemical detection," *Electrophoresis*, **2009**, *30*, 3347–3354.
- 29. A.L. Bowen<sup>‡</sup> and R.S. Martin,\* "Integration of On-Chip Peristaltic Pumps and Injection Valves with Microchip Electrophoresis and Electrochemical Detection," *Electrophoresis*, **2010**, *31*, 2534–2540.
- 30. D.C. Kirkpatrick, <sup>†</sup> C. Antwi, <sup>‡</sup> and R.S. Martin, \* "Use of Recordable Compact Discs to Fabricate Electrodes for Microchip-based Analysis Systems," *Anal. Methods*, **2010**, 2, 811-816. (this was featured on the back cover of the journal)
- 31. L.C. Mecker, <sup>‡</sup> L.A. Filla, <sup>‡</sup> and R.S. Martin, \* "Use of a Carbon-ink Microelectrode Array for Signal Enhancement in Microchip Electrophoresis with Electrochemical Detection," *Electroanalysis*, **2010**, *22*, 2141 2146.
- 32. A. Selimovic,<sup>‡</sup> A.S. Johnson,<sup>‡</sup> I.Z. Kiss, and R.S. Martin,\* "Use of epoxy-embedded electrodes to integrate electrochemical detection with microchip-based analysis systems," *Electrophoresis*, **2011**, *32*, 822–831.
- 33. C. Antwi,<sup>‡</sup> A.S. Johnson,<sup>‡</sup> A. Selimovic,<sup>‡</sup> and R.S. Martin,\* "Use of Microchip Electrophoresis and a Palladium/Mercury Amalgam Electrode for the Separation and Detection of Thiols," *Anal. Methods*, **2011**, *3*, 1072-1078.
- 34. P.A. Vogel, S.T. Halpin, R.S. Martin, and D.M. Spence,\* "Microfluidic Transendothelial Electrical Resistance Measurement Device that Enables Blood Flow and Postgrowth Experiments," *Anal. Chem,* **2011**, *83*, 4296–4301.

- 35. A.G. Cioffi,<sup>†</sup> R.S. Martin, and I.Z. Kiss,\* "Oscillations of Nickel Electrodissolution in an Epoxy-Based Microchip Flow Cell," J. Electroanal. Chem., **2011**, *659*, 92-100.
- 36. L.A. Filla,<sup>‡</sup> D.C. Kirkpatrick,<sup>†</sup>, and R.S. Martin,\* "Use of a Corona Discharge to Selectivity Pattern a Hydrophilic/Hydrophobic Interface for Integrating Segmented Flow with Microchip Electrophoresis and Electrochemical Detection," *Anal. Chem.*, **2011**, *83*, 5996–6003.
- 37. A.S. Johnson<sup>‡</sup>, A. Selimovic,<sup>‡</sup> and R.S. Martin,\* "Integration of Microchip Electrophoresis with Electrochemical Detection Using an Epoxy-Based Molding Method to Embed Multiple Electrode Materials," *Electrophoresis*, **2011**, 32, 3121–3128.
- 38. A.S. Johnson, \* K.B. Anderson, S.T. Halpin, D.C. Kirkpatrick, \*, D.M. Spence and R. S. Martin, "Integration of multiple components in polystyrene-based microfluidic devices part I: fabrication and characterization," *Analyst*, **2013**, *138*, 129-136.
- 39. K.B. Anderson, S.T. Halpin, A.S. Johnson, R.S. Martin and D.M. Spence, "Integration of multiple components in polystyrene-based microfluidic devices part II: cellular analysis," *Analyst*, **2013**, *138*, 137-143.
- 40. A.S. Johnson<sup>‡</sup>, A. Selimovic,<sup>‡</sup> and R.S. Martin,\* Microchip-based Electrochemical Detection for Monitoring Cellular Systems," *Anal. Bioanal. Chem.*, **2013**, *405*, 3013–3020.
- 41. A. Selimovic,<sup>‡</sup> and R.S. Martin,\* "Encapsulated Electrodes for Microchip Devices: Microarrays and Platinized Electrodes for Signal Enhancement," Electrophoresis, **2013**, *34*, 2092–2100.
- 42. K.B. Anderson, S.Y. Lockwood, R. S. Martin, and D.M. Spence,\* "A 3D Printed Fluidic Device that Enables Integrated Features," *Anal. Chem.*, **2013**, *85*, 5622–5626.
- 43. V. Becirovic, \*\* S.R. Doonan, \*\*, and R.S. Martin, \*\* "Encapsulation of Fluidic Tubing and Microelectrodes in Microfluidic Devices: Integrating Off-Chip Process and Coupling Conventional Capillary Electrophoresis with Electrochemical Detection, \*\* Anal. Methods, 2013, 5, 4220–4229.
- 44. Erkal, J. L.; Selimovic, A.; <sup>‡</sup> Gross, B. C.; Lockwood, S. Y.; Walton, E. L.; McNamara, S.; Martin, R. S.; Spence, D. M.,\* "3D printed microfluidic devices with integrated versatile and reusable electrodes," *Lab Chip* **2014**, *14*, 2023-2032.
- 45. A. Selimovic,<sup>‡</sup> J.L. Erkal, Jayda L., D.M. Spence, R.S. Martin,\* "Microfluidic device with tunable post arrays and integrated electrodes for studying cellular release," *Analyst*, **2014**, *139*, 5686-5694. (featured on the cover)

- 46. A.S. Johnson,<sup>‡</sup> B.T. Mehl,<sup>‡</sup> and R. S. Martin,\* "Integrated hybrid polystyrene-polydimethylsiloxane device for monitoring cellular release with microchip electrophoresis and electrochemical detection," *Anal. Methods*, **2015**, *7*, 884 893.
- 47. M.R. Bailey, A.M. Pentecost, <sup>‡</sup> A. Selimovic, <sup>‡</sup> R.S. Martin, and Z.D. Schultz, \*
  "Sheath-Flow Microfluidic Approach for Combined Surface Enhanced Raman Scattering and Electrochemical Detection," *Anal. Chem.*, **2015**, *87*, 4347–4355.
- 48. A.M. Pentecost<sup>‡</sup> and R.S Martin,\* "Fabrication and characterization of all-polystyrene microfluidic devices with integrated electrodes and tubing," *Anal. Methods*, **2015**, 7, 2968-2976.
- 49. Y. Jia, A. Bi, A. Selimovic, R.S. Martin, I. Z. Kiss,\* Periodic and complex waveform current oscillations of copper electrodissolution in phosphoric acid in an epoxy-based microchip flow cell, *Journal of Solid State Electrochemistry*, **2015**, *19*, 3241-3251.
- 50. A. S. Munshi<sup>‡</sup> and R. S. Martin,\* "Microchip-Based Electrochemical Detection using a 3-D Printed Wall-Jet Electrode Device," *Analyst*, **2016**,141, 862-869.
- 51. A. D. Townsend, \*G.H. Wilken, K.K. Mitchell, R. S. Martin, H. Macarthur, \*
  "Simultaneous analysis of vascular norepinephrine and ATP release using an integrated microfluidic system," *J Neurosci Methods.*, **2016**, 266, 68-77.
- 52. C. Chen, \* B.T. Mehl, \* S. A. Sell, R. S Martin, \* "Use of electrospinning and dynamic air focusing to create three-dimensional cell culture scaffolds in microfluidic devices," *Analyst*, **2016**, *141*, 5311-5320.
- 53. A. V. Forzano, V. Becirovic, R. S. Martin, J.L. Edwards, Integrated electrodes and electrospray emitter for polymer microfluidic nanospray-MS interface, Analytical Methods, **2016**, 8, 5152-5157
- 54. M.R. Bailey, R. S. Martin, Z.D. Schultz,\* "Role of Surface Adsorption in the Surface-Enhanced Raman Scattering and Electrochemical Detection of Neurotransmitters," *Journal of Physical Chemistry C,* **2016**, *120*, 20624–20633.
- 55. C. Chen, B.T. Mehl, A. S. Munshi, A.D. Townsend, D.M. Spence, R.S. Martin, 3D-printed microfluidic devices: fabrication, advantages and limitations—a mini review, Anal. Methods, **2016**, 8, 6005-6012
- 56. C. Chen, B.T. Mehl, \* S.A. Sell, R.S. Martin, "Use of electrospinning and dynamic air focusing to create three-dimensional cell culture scaffolds in microfluidic devices," *Analyst*, **2016**, *141*, 5311-5320.
- 57. C. Chen, A.D. Townsend, S.A. Sell, R.S. Martin, Microchip-based 3D-Cell Culture Using Polymer Nanofibers Generated by Solution Blow Spinning, Anal. Methods, **2017**, 9, 3274-3283.

- 58. Mehl, B.T.<sup>‡</sup> and Martin, R.S.,\* "Enhanced microchip electrophoresis separations combined with electrochemical detection utilizing a capillary embedded in polystyrene," *Anal. Methods*, **2018**, *10*, 37-45.
- 59. Chen C., Townsend A.D.,<sup>‡</sup> Hayter E.A.,<sup>‡</sup> Birk H.M.,<sup>†</sup> Sell S.A., Martin R.S.,<sup>\*</sup> "Insert-based microfluidics for 3D cell culture with analysis," *Anal Bioanal Chem.* **2018**, *10*, 3025-3035.
- 60. M. J. Kimlinger<sup>†</sup> and R.S. Martin,\* "The Use of a 3D-Printed Microfluidic Device and Pressure Mobilization for Integrating Capillary Electrophoresis with Electrochemical Detection," *Electroanalysis*, **2018**, 30, 2241-2249.
- 61. A.S. Munshi<sup>‡</sup> and R. S. Martin, "Use of 3D printing and modular microfluidics to integrate cell culture, injections and electrochemical analysis," *Anal. Methods*, **2018**, *10*, 3364-3374.
- 62. Mehl, B.T.<sup>‡</sup> and Martin, R.S.,\* "Integrating 3D cell culture of PC12 cells with microchip-based electrochemical detection," *Anal. Methods*, **2019**,*11*, 1064-1072.
- 63. A.D. Townsend, \* R. S. Sprague, and R.S. Martin, \* "Microfluidic Device Using a Gold Pillar Array and Integrated Electrodes for On-chip Endothelial Cell Immobilization, Direct RBC Contact, and Amperometric Detection of Nitric Oxide," *Electroanalysis*, **2019**, 31, 1409–1415.
- 64. A.D. Castiaux, C. W. Pinger, E. A. Hayter, M. E. Bunn, R. S. Martin and D. M. Spence, *Analytical Chemistry*, **2019**, 91, 6910-6917.
- 65. A.D. Castiaux, D. M. Spence, R.S. Martin,\* "Review of 3D cell culture with analysis in microfluidic systems," *Analytical Methods* 2019, 11, 4220-4232.
- 66. Hayter, E. A.; Castiaux, A. D.; Martin, R. S.\*, 3D-printed microfluidic device with in-line amperometric detection that also enables multi-modal detection, Anal Methods 2020, 12, 2046-2051.
- 67. Castiaux, A. D.; Currens, E. R.; Martin, R. S.\*, Direct embedding and versatile placement of electrodes in 3D printed microfluidic-devices, *Analyst* 2020, 145, 3274-3282.
- 68. Huang, K., Castiaux, A. D., Podicheti, R., Rusch, D. B., Martin, R. S., Baker, L. A.,\* A Hybrid Nanofiber/Paper Cell Culture Platform for Building a 3D Blood–Brain Barrier Model. Small Methods 2021, 5, 2100592.
- 69. Castiaux, A.D., Selemani, M.A.; Ward, M.A., Martin, R. S.\*, Fully 3D printed Fluidic Devices with Integrated Valves and Pumps for Flow Injection Analysis, Anal. Methods, 2021, 13, 5017-5024.

- 70. M. Geiger, E. Hayter, R. S. Martin, and D.M. Spence, "Red Blood Cells in Type 1 Diabetes and Multiple Sclerosis and Technologies to Measure their Emerging Roles", *J. Transl. Autoimmun*, **2022**, *5*, 100161.
- 71. E.R. Currens, \*M.R. Armbruster, A.D. Castiaux, J.L. Edwards, R.S. Martin, \*Evaluation and optimization of PolyJet 3D-printed materials for cell culture studies," *Anal Bioanal Chem*, **2022**, *414*, 3329–3339.
- 72. K. Cenhrang, L. Robart, A.D. Castiaux, R.S. Martin, "3D Printed Devices with Integrated Collagen Scaffolds for Cell Culture Studies Including Transepithelial/Transendothelial Electrical Resistance (TEER) Measurements, Anal. Chim. Acta, 2022, 1221, 340166.
- 73. E. A. Hayter, \* S. Azibere, \* L.A. Skrajewski, L.D. Soule, D.M. Spence, R.S. Martin, \* "A 3D-printed, multi-modal microfluidic device for measuring nitric oxide and ATP release from flowing red blood cells," *Anal Methods.* **2022**, *14*, 3171-3179.
- 74. M.A. Selemani, \* A.D. Castiaux, R.S. Martin, \* "PolyJet-Based 3D Printing against Micromolds to Produce Channel Structures for Microchip Electrophoresis," *ACS Omega*, **2022**, 7, 13362-13370.
- 75. J. A. Tetteh, E. A. Hayter, R. S. Martin, I. Z. Kiss, "Oscillations and bistability of complex electrochemical reactions in 3D printed microfluidic devices," Journal of Electroanalytical Chemistry, **2023**, *948*, 117830.
- 76. Dana M. Spence\* and R. Scott Martin\*, "Chapter 8 3D-Printed Devices Containing Membranes for Biological Applications," in 3D printing in Analytical Chemistry: Sample preparation, separation, and sensing. Editors/Authors: Enrique Carrasco-Correa, Jose Manuel Herrero-Martinez, Manuel Miro, María Vergara-Barberán, pages 199-215, **2024**.
- 77. M. A. Selemani<sup>‡</sup> and R. S. Martin,\* "Integrating Electrochemical Detection In 3D-printed Microchip Electrophoresis Devices", *Analytical and Bioanalytical Chemistry*, **2024**, *416*, 4749-4758.
- 78. Major A. Selemani,<sup>‡</sup> Khamhbawihum Cenhrang,<sup>‡</sup> Samuel Azibere,<sup>‡</sup> Mariama Singhateh,<sup>‡</sup> and R. Scott Martin,<sup>\*</sup> "3D Printed Microfluidic Devices with Electrodes for Electrochemical Analysis," *Analytical Methods*, **2024**, 16, 6941-6953.
- 79. S. Ubeysinghe, C.O. Sebilleau, W. Thotamune, C. Rajarathna, S. Azibere, M. Tennakoon, J.L. Payton, R.S. Sprague, R.S. Martin, S.J. Sucheck, A. Karunarathne,\* "Recombinant–Chemosynthetic Biosensors for Probing Cell Surface Signaling of Red Blood Cells and Other Cells," Chemical & Biomedical Imaging, **2025**, 3, 95-110.
- 80. Samuel Azibere, \*\* Michael Borovik, Andrew F. Hall, Scott A. Sell and R.S. Martin, \*\* "Evaluation of fused deposition modeling (FDM)-printed devices for

- microfluidic-based cell culture studies," *Anal Bioanal Chem,* **2025**, *417*, 4435–4447.
- 81. Major A. Selemani, Jason L. Assafeen, and R.S. Martin, PolyJet 3D-Printed Microchip Devices with Integrated Carbon Electrodes for Neurotransmitter Analysis. *J. Sep. Sci.*, **2025**, *48*, e70224.
- 82. Major A. Selemani,<sup>‡</sup> Giraso K.M. Kabandana, Chengpeng Chen, and R. Scott Martin,\* "3D-Printed Microfluidic-Based Cell Culture System with Analysis to Investigate Macrophage Activation," *Electrophoresis* **2025**, doi.org/10.1002/elps.8109.
- 83. Khamhbawihum Cenhrang, <sup>‡</sup> Cody W. Leasor, Waruna Thotamune, Ajith Karunarathne, Lane A. Baker, and R. Scott Martin, \* "3D Printed Transwell Microfluidic Devices for Epithelial Cell Culture with Shear Stress, *ACS Measurement Science Au*, **2025**, *5*, 547-558.
- 84. S. A. Branch, Y. Wang, S. Azibere, L.D. Soule, A.R. Davis, T. McMahon, R. S. Martin, L.A. Baker, M.K. Geiger, D.M. Spence, ACS Measurement Science Au **2025**, *5*, 511-519.